

Art. 1220

ITA-Prolunga filettata maschio/femmina


DEU-AG/IG Verlängerung

ENU-Extension male/female

ESP-Prolongador roscado macho/hembra

FRA-Prolongement fileté mâle / femelle

ROM-Prelungitor M/F


Filettatura UNI ISO 228

F" x G"	CODICE	L	A	B	C	Ch.es. 1	Ch.es. 2
1/2" x 1/2"	150 0156	20,5	10	10,5	8,5	24	14
1/2" x 1/2"	150 0183	25,5	15	10,5	12,5	24	14
1/2" x 1/2"	150 0204	30	15	15	12,5	24	14
1/2" x 1/2"	150 0361	35,5	15,5	20	12,5	24	14
1/2" x 1/2"	150 0292	40,5	15,5	30	12,5	24	14

Art. 1500

ITA-Prolunga tipo Roma con filettatura maschio


DEU-Verlängerung vom Typ Roma AG

ENU-Roma male hose-end

ESP-Prolongador tipo Roma con rosca macho

FRA-Rallonge Roma avec filetage mâle

ROM-Portfurtun tip Roma cu filetul M


Filettatura UNI ISO 228

ØP x G"	CODICE	L	A	B	C	Ch.es.
6 x 1/4"	150 0473	34	22	4	8	15
8 x 1/4"	150 0568	38	26	4	8	14
10 x 1/4"	150 0507	33	20	5	8	14
10 x 3/8"	150 0479	34	20	5	9	17
12 x 3/8"	150 0522	34	20	5	9	17
12 x 1/2"	150 0326	35	20	5	10	21
14 x 3/8"	150 0547	34	20	5	9	17
14 x 1/2"	150 0418	35	20	5	10	21
15 x 1/2"	150 0160	41	26	5	10	21
20 x 1/2"	150 0189	41	26	5	10	21
20 x 3/4"	150 0116	43	26	7	10	27
25 x 3/4"	150 0192	50	33	7	10	27
25 x 1"	150 0129	52	33	8	11	32
30 x 1"	150 0223	52	33	8	11	32
35 x 1 1/4"	150 0241	59,5	38	10	11,5	38
40 x 1 1/2"	150 0239	67,5	42	10,5	15	45
45 x 1 1/2"	150 0417	73	48	11,5	13,5	47
50 x 2"	150 0215	72,5	45	13	14,5	54

Art. 1501

ITA-Prolunga tipo Roma con filettatura femmina


DEU-Verlängerung vom Typ Roma IG

ENU-Roma female hose-end

ESP-Prolongador tipo Roma con rosca hembra

FRA-Rallonge Roma avec filetage femelle

ROM-Portfurtun tip Roma cu filetul F




Filettatura UNI ISO 228

ØP x G"	CODICE	L	A	B	C	Ch.es.
10 x 1/4"	150 0592	31	20	11	9	17
10 x 3/8"	150 0454	38	26	12	10	19
10 x 1/2"	150 0293	38	26	12	10	24
13 x 1/2"	150 0387	38	26	12	10	24
15 x 1/2"	150 0280	38	26	12	10	24
18 x 1/2"	150 0365	38	26	12	10	24
20 x 3/4"	150 0263	38	26	12	10	34
25 x 1"	150 0289	51	37,5	13,5	11	37
30 x 1"	150 0423	58,5	43	15,5	12,5	41
30 x 1"1/4	150 0498	58,5	44	14,5	12,5	46
35 x 1"1/4	150 0496	56,5	43,5	13	12,5	46

Art. 1502

ITA-Raccordo diritto tre pezzi per pompa
 DEU-Gewindeanschluss Durchgangsform, 3-tlg., für Pumpe
 ENU-Three pieces straight male oenological hose connector
 ESP-Racor recto tres piezas para bomba
 FRA-Manchon droit trois pièces pour pompe
 ROM-Racord drept pentru pompa



Filettatura UNI ISO 228

ØA x G"	CODICE	L	ØB	C	E	H	Ch.es.
15 x 1/2"	150 0388	60	11	43	27	8,5	21
20 x 3/4"	150 0323	72,5	16	50	33	10	24
25 x 1"	150 0329	81	21	58	37	11,5	32
30 x 1"	150 0407	87	25,5	62	41,5	11,5	34
30 x 1"1/4	150 0466	91	25,5	62	41,5	14,5	36
35 x 1"1/4	150 0452	96	30	76,5	41,5	14	40
40 x 1"1/2	150 0394	94	35	84,5	46	12	45
50 x 2"	150 0370	105	43	106	46,5	14	54,5
60 x 2"	150 0424	137,5	54	104,5	68,5	18	59
60 x 2"1/2	150 0587	134,5	54	104,5	68	15,5	72

Art. 1503

ITA-Raccordo curvo tre pezzi per pompa


DEU-Winkel, 3-tlg., für Pumpe

ENU-Three pieces elbow male oenological hose connector

ESP-Racor codo tres piezas para bomba

FRA-Coude trois pièces pour pompe

ROM-Racord cot pentru pompa



Filettatura UNI ISO 228

ØA x G"	CODICE	H	ØB	C	D	ØE
15 x 1/2"	150 0490	9	11,5	42,5	20	16
20 x 3/4"	150 0494	10	16	50	30	20,5
25 x 1"	150 0492	12	21	58	30	25,5
30 x 1"	150 0548	12	25,5	62	35	25
30 x 1"1/4	150 0600	12,5	25,5	62	35	33
35 x 1"1/4	150 0593	13,5	29,5	76,4	31,5	33,5
40 x 1"1/2	150 0554	12,5	34,5	85	40	37,5
50 x 2"	150 0538	14,5	43	105	40	50

Art. 1504

ITA-Raccordo doppio tre pezzi per pompa


DEU-Doppelter Gewindeanschluss, 3-tlg., für Pumpe

ENU-Three pieces straight double oenological hose connector

ESP-Racor doble tres piezas para bomba

FRA-Raccord double trois pièces pour pompe

ROM-Racord din 3 piese pentru pompa



ØA x ØA	CODICE	ØB	ØC	D	E
15 x 15	150 0531	11	42,5	19	19
18 x 18	150 0509	14	42,5	18,5	18,5
20 x 20	150 0467	15,5	50	26,5	26
25 x 25	150 0438	21	58	26	28
30 x 30	150 0549	25,5	62	30	30
35 x 35	150 0567	30	76,4	36	30
40 x 40	150 0590	35	85	30	38
45 x 45	150 0605	40	100	32	32
50 x 50	150 0540	43,5	105	37	38

Art. 1507

ITA-Raccordo diritto maschio per tubo rame cartellato


DEU-Durchgang Klemmringverschraubung AG mit Flachdichtung für gebördelter CU-Rohr

ENU-Straight male compression fitting flat seat for flanged copper pipe

ESP-Racord recto macho para tubo cobre rebordeado

FRA-Raccord droit mâle avec joint plat pour tube cuivre collet battu

ROM-Racord drept masculin pentru teava cupru curbata



Filettatura UNI ISO 228

$\phi P \times G''$	CODICE	L	A	B	C	Ch.es.1	Ch.es.2
12 x 1/2"	111 0003	26,5	9	4	13,5	23	21

Art. 1508

ITA-Raccordo diritto femmina per tubo rame cartellato


DEU-Durchgang Klemmringverschraubung IG mit Flachdichtung für gebördelter CU-Rohr

ENU-Straight female compression fitting flat seat for flanged copper pipe

ESP-Racord recto hembra para tubo cobre rebordeado

FRA-Raccord droit femelle avec joint plat pour tube cuivre collet battu

ROM-Racord drept feminin pentru teava cupru curbata



Filettatura UNI ISO 228

ØP x G"	CODICE	L	A	B	C	Ch.es.	Ch.es.
12 x 1/2"	111 0004	33,5	9	11	13,5	23	23

Art. 1510

ITA-Raccordo a 5 vie


DEU-5-Wege-Fitting

ENU-Five ways connector

ESP-Racor de 5 vías

FRA-Raccord 5 voies

ROM-Racord 5 cai pentru HIDROFOR



Filettatura UNI ISO 228

L x G"	CODICE	F1"	F2"	F3"	G2"	A	L2	L3
72 x 1"	150 0128	1"	1"	1/4"	1/4"	32	61	51
82 x 1"	150 0163	1"	1"	1/4"	1/4"	32	61	51
92 x 1"	150 0132	1"	1"	1/4"	1/4"	32	61	51

Art. 1511

ITA-Raccordo a 3 vie


DEU-3-Wege-Fitting

ENU-Three ways connector

ESP-Racor de 3 vías

FRA-Raccord 3 voies

ROM-Racord 3 cai pentru HIDROFOR



Filettatura UNI ISO 228

L x G"	CODICE	F1"	F2"	L2	A	ØB	ØC	D
72 x 1"	150 0147	1"	1"	52,5	33,5	38	38	12

Art. 1513 - Art. 1514

ITA-Nipplo disassato maschio/femmina


DEU-Außermittiger Nippel IG/AG

ENU-Male/female misaligned nipple

ESP-Niple no alineado macho/hembra

FRA-Mamelon désaxé mâle/femelle

ROM-Excentric M/F



Filettatura UNI ISO 228

G" x F"	COD.1513	L	A	B	D	Ch.ott.1	Ch.ott.2
1" x 1"	150 0444	54	13,5	16,5	15	38	40

Filettatura UNI ISO 228

G" x F"	COD.1514	L	A	B	D	Ch.ott.1	Ch.ott.2
1" x 1"	150 0672	75	11,5	21,5	25	38	46

Art. 1516

ITA-Raccordo per cassone diritto prolungato (stampato)


DEU-Gewindeanschluss für Wasserkasten Durchgangsform, verlängert (Pressteil)

ENU-Straight connector for reservoir (forged)

ESP-Racor para cajón recto prolongado (estampado)

FRA-Manchon droit prolongé pour chasse d'eau (matricé)

ROM-Racord drept prelungit pentru rezervor realizat prin matritare




Filettatura UNI ISO 228

Size	CODICE	L	A	B	C	D	E	Ø	Ch.es.	F	G	H	Ch.es.1
3/8"	150 0483	65	41	28	27,5	7	2,5	30	20	24	12	12	23
1/2"	150 0270	80,5	52	40	36	8	2	38,5	25	28,5	17	13	21
3/4"	150 0220	88	56	41	30	9	2	47	30	32	15	14	37
1"	150 0166	92	57	41,5	36,5	9,5	2	51	36	35	24	14,5	46
1"1/4	150 0208	94,5	56	40	37	9	2	60	45	38,5	28	15,5	53
1"1/2	150 0295	95	53	38	34	10,5	2,5	68	53	42	31	16	58
2"	150 0248	111	63	46	40,5	9	3	74,5	Ott.64	48	38	15	68,5

Art. 1517

ITA-Raccordo per cassone con piletta
 DEU-Gewindeanschluss für Wasserkasten mit Ablaufventil
 ENU-Connector for reservoir with waste
 ESP-Racor para cajón con cono de descarga
 FRA-Raccord pour chasse d'eau avec bonde
 ROM-Racord de scurgere pentru rezervor


Filettatura UNI ISO 228

G2" x G1" x F"	CODICE	ØA	ØB	ØC	ØD	Ch.1	Ch.2	L
1/2" x 3/8" x 3/8"	150 0469	11,5	16	34,5	38,5	23	25	70,5
3/4" x 1/2" x 1/2"	150 0411	16	21	42	47	30	30	81,5
1" x 3/4" x 3/4"	150 0371	20,5	28	49	51	37	36	86,5
1" 1/4 x 1" x *	150 0443	27,5	36	54,5	60	46	45	94

Art. 1518

ITA-Raccordo per cassone con tappo


DEU-Gewindeanschluss für Wasserkasten mit Stopfen

ENU-Connector for reservoir with cup

ESP-Racor para cajón con tapón

FRA-Raccord pour chasse d'eau avec bouchon

ROM-Racord pentru rezervor cu dop



Filettatura UNI ISO 228

G''	CODICE	ØA	B	C	ØD	L	F''	H	I	ØE	Ch.es.1	M	Ch.es.2
1/2"	150 0408	35	40	3	16	43,5	3/8"	2	8	38,5	25	11,5	23
3/4"	150 0397	42	43,5	4	21	47,5	1/2"	2	9	47	30	11,5	31
1"	150 0322	49	43,5	4	27,5	47,5	3/4"	2	9,5	51	36	13,5	39
1 1/4"	150 0457	54,5	50	4,5	36	58	-	2	9	60	45,5	15	46

Art. 1519

ITA-Raccordo per cassone senza tappo


DEU-Gewindeanschluss für Wasserkasten ohne Stopfen

ENU-Connector for reservoir without cup

ESP-Racor para cajón sin tapón

FRA-Raccord pour chasse d'eau sans bouchon

ROM-Racord pentru rezervor fara dop



Filettatura UNI ISO 228

G"	CODICE	ØA	B	C	ØD	L	F''	H	I	ØE	Ch.es.1
1/2"	150 0153	35	40	3	16	43,5	3/8"	2	8	38,5	25
3/4"	150 0179	42	43,5	4	21	47,5	1/2"	2	9	47	30
1"	150 0176	49	43,5	4	27,5	47,5	3/4"	2	9,5	51	36
1 1/4"	150 0231	54,5	50	4,5	36	58	-	2	9	60	45,5

Art. 1520

ITA-Raccordo curvo per cassone


DEU-Winkel für Wasserkasten

ENU-Curved connector for reservoir

ESP-Racor codo para cajón

FRA-Coude pour chasse d'eau

ROM-Cot pentru rezervor



Filettatura UNI ISO 228

G" x G"	CODICE	L	L2	A	B	Ch.es. 1	Ch.es. 2
1/2" x 1/2"	150 0460	52,5	83,5	26	40	30	26
3/4" x 3/4"	150 0476	52,5	88,5	29	41	37	30
1" x 1"	150 0463	62	100	30	41,5	46	36

Art. 1521CP - Art. 1521CPKIT

ITA-Cannotto con dado folle e guarnizione piana


DEU-Metalrohr mit Abdrückmutter und flacher Dichtung

ENU-Sleeve with loose nut and flat face seal

ESP-Manguito con tuerca loca y junta de estanqueidad plana

FRA-Manchon avec écrou libre et joint plat

ROM-Semiolandez con garnitura plata


Filettatura UNI ISO 228

F" x G"	COD. 1521CP	L	A	B	Ch.es.
3/4" x 1/2"	150 0798	32,5	12,5	5,5	30
1" x 3/4"	150 0822	36,5	14	6,5	37
1"1/4 x 1"	150 0823	41,5	16	6,5	Ott.46
1"1/2 x 1"1/4	150 0890	46,5	17	6,5	Ott.52

Filettatura UNI ISO 228

F" x G"	COD. 1521CPKIT	L	A	B	Ch.es.
1"F x 3/4" M	150 1017	36,5	14	6,5	37
1"1/4 F x 1" M	150 1013	41,5	16	6,5	Ott.46
1"1/2 F x 1"1/4 M	150 1014	46,5	17	6,5	Ott.52
2" F x 1"1/2 M	150 1015	52,5	23	11,5	Ott.66
2"1/2 F x 2" M	150 1016	59,5	25	11,5	Ott.80

Art. 1522

IT-Cannotto con dado folle


DE-Hülse mit Überwurfmutter

EN-Tail with loose nut

ES-Manguito con tuerca loca

FR-Raccord compteur 2 pièces

RO-Niplu + piulita pentru APOMETRU




Filettatura UNI ISO 228

F" x G"	CODICE	L	L CODOLO	A	B	Ch.	Ch.es.
3/4" x 1/2"	150 0035	45,5	37	14	5,5	17	29
1" x 3/4"	150 0042	55,5	44,5	16	8	23	36
1"1/4 x 1"	150 0062	61,5	47	22	11,5	29	47
1"1/2 x 1"1/4	150 0094	72,5	57	24,5	12,5	37	54
2" x 1"1/2	150 0072	83	67	24	13	44	67
2"1/2 x 2"	150 0101	96,5	77	31,5	16,5	55	84

Art. 1525N

ITA-Raccordo diritto maschio nichelato con girello e guarnizione piana
 DEU-Gewindeanschluss AG Durchgangsform mit Überwurfmutter und Flachdichtung, vernickelt
 ENU-Straight male nipple nickel plated with loose nut and flat washer
 ESP-Racor recto macho niquelado con vaciado y junta plana
 FRA-Manchon droit mâle nickel avec écrou tournant et joint plat
 ROM-Racord drept M nichelat cu piulita si garnitura plata




Filettatura UNI ISO 228

G" x F"	CODICE	L	A	B	Ch.es.1	Ch.es.2
1/2" x 1/2"	150 0891	36	11,5	4	21	24
3/4" x 3/4"	150 0893	40,5	11,5	5,5	27	30
1" x 1"	150 0897	51	15	7	33	37
1"1/4 x 1"1/4	150 0898	54,5	16	7,5	42	Ott. 46

Art. 1525NR

ITA-Raccordo diritto maschio nichelato con girello e guarnizione piana
 DEU-Gewindeanschluss AG Durchgangsform mit Überwurfmutter und Flachdichtung, vernickelt
 ENU-Straight male nipple nickel plated with loose nut and flat washer
 ESP-Racor recto macho niquelado con vaciado y junta plana
 FRA-Manchon droit mâle nickel avec écrou tournant et joint plat
 ROM-Racord drept M nichelat cu piulita si garnitura plata




Filettatura UNI ISO 228

G" x F"	CODICE	L	A	B	Ch.es.1	Ch.es.2
1/2" x 1/2"	150 0905	36,5	11	4	21	24
3/4" x 3/4"	150 0904	43,5	13,5	5,5	32	30
1" x 1"	150 0901	51	15	7	36	37
1"1/4 x 1"1/4	150 0902	54,5	16	7,5	46	Ott. 46

Art. 1526

ITA-Raccordo diritto doppio con girello e guarnizione piana
 DEU-Doppelter Gewindeanschluss Durchgangsform mit Überwurfmutter und Flachdichtung
 ENU-Straight nipple double with loose nut and flat washer
 ESP-Racor recto doble con vaciado y junta plana
 FRA-Manchon double avec écrou tournant et joint plat
 ROM-Racord drept dublu cu piulita si garnitura plata




Filettatura UNI ISO 228

F" x G"	CODICE	L	A	B	Ch.es.1	Ch.es.2	Ch.es.3
1" x 3/4"	150 0912	60,5	5,5	7	30	30	37

Art. 1526N

ITA-Raccordo diritto doppio nichelato con girello e guarnizione piana
 DEU-Doppelter Gewindeanschluss Durchgangsform mit Überwurfmutter und Flachdichtung, vernickelt
 ENU-Straight nipple double Nickel plated with loose nut and flat washer
 ESP-Racor recto doble niquelado con vaciado y junta plana
 FRA-Manchon double nickel avec écrou tournant et joint plat
 ROM-Racord drept dublu nichelat cu piulita si garnitura plata



Filettatura UNI ISO 228

F" x G"	CODICE	L	A	B	Ch.es.1	Ch.es.2	Ch.es.3
1/2" x 1/2"	150 0892	44	4	4	19	24	24
3/4" x 3/4"	150 0894	52	5,5	5,5	24	30	30
1" x 1"	150 0899	65	7	7	30	37	37

Art. 1527

ITA-Raccordo curvo maschio con girello e guarnizione piana


DEU-Winkel AG mit Überwurfmutter und Flachdichtung

ENU-Elbow male with loose nut and flat seals

ESP-Racor codo macho con vaciado y junta plana

FRA-Coude mâle avec écrou tournant a joint plat

ROM-Cot M cu piulita si garnitura plata



Filettatura UNI ISO 228

F" x M"	CODICE	L	L2	A	B	ØP	Ch.es. 1
1/2" x 1/2"	150 0895	26	30	4,5	10	11,5	24
3/4" x 3/4"	150 0896	31,5	33	5,5	13	16	30
1" x 3/4"	150 0911	33,5	44	7	11,5	21	37
1" x 1"	150 0900	41	44	7	15	21	37

Art. 1530 - Art. 1530C

ITA-Prolunga filettata maschio/femmina


DEU-AG/IG Verlängerung

ENU-Extension male/female

ESP-Prolongador roscado macho/hembra

FRA-Rallonge filetée mâle/femelle

ROM-Prelungitor cu filet M/F




Filettatura UNI ISO 228

M" x F"	CODICE 1530	CODICE 1530C	L	A	B	C	ØP	Ch.
3/8" x 3/8"	150 0413	150 0449	20	10	10	7,5	21	10
3/8" x 3/8"	150 0482	150 0458	25	15	10	10	21	10
3/8" x 3/8"	150 0422	150 0437	30	20	10	12	21	10
3/8" x 3/8"	150 0471	150 0442	40	30	10	12	21	10
3/8" x 3/8"	150 0528	150 0534	50	40	10	12	21	10
3/8" x 3/8"	150 0497	150 0519	60	50	10	11	21	10
1/2" x 1/2"	150 0026	150 0055	20	10	10	6,5	27	12
1/2" x 1/2"	150 0031	150 0069	25	15	10	10,5	27	12
1/2" x 1/2"	150 0024	150 0060	30	20	10	14	27	12
1/2" x 1/2"	150 0100	150 0170	35	25	10	14	27	12
1/2" x 1/2"	150 0038	150 0071	40	30	10	11,5	27	12
1/2" x 1/2"	150 0079	150 0113	50	40	10	14	27	12
1/2" x 1/2"	150 0045	150 0052	60	50	10	14	27	12
1/2" x 1/2"	150 0145	150 0184	90	80	10	14	26	12
1/2" x 1/2"	150 0104	150 0188	110	100	10	14	26	12
1/2" x 1/2"	150 0333	150 0402	160	150	10	14	26	-

3/4" x 3/4"	150 0217	150 0335	22	10	12	6,5	33 - 32	17
3/4" x 3/4"	150 0211	150 0317	27	15	12	11	33 - 32	17
3/4" x 3/4"	150 0142	150 0269	32	20	12	15	33 - 32	17
3/4" x 3/4"	150 0301	150 0348	37	25	12	15	33 - 32	17
3/4" x 3/4"	150 0143	150 0240	42	30	12	15	33 - 32	17
3/4" x 3/4"	150 0236	150 0252	52	40	12	15	33 - 32	17
3/4" x 3/4"	150 0161	150 0139	62	50	12	15	33 - 32	17
3/4" x 3/4"	150 0321	150 0313	92	80	12	15	33	17
3/4" x 3/4"	150 0284	150 0309	112	100	12	15	32	17
1" x 1"	150 0390	150 0504	25	10	15	6	39	22
1" x 1"	150 0404	150 0521	30	15	15	9	39	22
1" x 1"	150 0268	150 0425	35	20	15	14	39	22
1" x 1"	150 0314	150 0491	40	25	15	18	39	22
1" x 1"	150 0256	150 0405	45	30	15	18	39	22
1" x 1"	150 0369	150 0393	55	40	15	18	39	22
1" x 1"	150 0245	150 0328	65	50	15	18	39	22

Art. 1531C

ITA-Prolunga filettata maschio/maschio cromata
DEU-AG/AG Verlängerung, verchromt
ENU-Extension male/male chrome plated
ESP-Prolongador roscado macho/macho cromado
FRA-Rallonge filetée mâle/mâle chrome
ROM-Prelungitor cromat M/M




Filettatura UNI ISO 228

M1" x M2"	COD.1531C	L	A	B	C	ØD	Ch.
1/2"x 3/8"	150 0913	26,5	10,5	10	14	15	10,1
3/4"x 1/2"	150 0872	40	12	10	27,5	19	12

Art. 1551FD

ITA-Raccordo diritto mas./fem. con sede piana per tubo acciaio corrugato con guarnizione piana
DEU-Gewindeanschluss AG/IG Durchgangsform flachdichtend für Stahlwellrohr mit Flachdichtung
ENU-Straight male/female with flat seat
ESP-Racor recto macho/hembra con asientos para tubo de acero corrugado junta plana
FRA-Manchon droit mâle/femelle avec siège plat pour tube acier annelé à joint plat
ROM-Prelungire redusa M/F fata dreapta (plana)



Filettatura UNI ISO 228

M1" x M2"	COD.1551FD	L	A	B	C	ØD	Ch.es.
3/4" x 1"	471 0078	30,5	12	18,5	15,5	16	37

Art. 1540 - Art. 1540C

IT-Barilotto maschio/maschio


DE-Rohnrippe AG/AG

EN-Extension male/male

ES-Tubo roscado macho/macho

FR-Manchette d'attente pour compteur

RO-Bara M/M filetata


Filettatura UNI ISO 228

G" x L	COD. 1540	COD. 1540C	A	ØB	ØP	G" x L	COD. 1540	A	ØB	ØP
1/2" x 50	150 0198	150 0877	13	21	15	1" x 90	150 0373	15	33	26
1/2" x 60	150 0235	150 0878	13	21	15	1" x 100	150 0126	15	33	26
1/2" x 70	150 0312	150 0682	13	21	15	1" x 125	150 0480	15	33	26
1/2" x 80	150 0232	***	13	21	15	1" x 130	150 0560	15	33	26
1/2" x 90	150 0311	***	13	21	15	1" x 150	150 0123	15	33	26
1/2" x 100	150 0115	150 1025	13	21	15	1" x 200	150 0159	15	33	26
1/2" x 150	150 0155	150 1028	13	21	15	1" x 250	150 0276	15	33	26
1/2" x 200	150 0167	***	13	21	15	1"1/4 x 50	150 0626	15	42	34
1/2" x 250	150 0274	***	13	21	15	1"1/4 x 60	150 0612	20	42	34
3/4" x 40	150 0686		16	27	21	1"1/4 x 70	150 0631	20	42	34
3/4" x 50	150 0221	150 1023	16	27	21	1"1/4 x 80	150 0603	20	42	34
3/4" x 60	150 0246	***	16	27	21	1"1/4 x 90	150 0632	20	42	34
3/4" x 70	150 0346	***	16	27	21	1"1/4 x 100	150 0563	20	42	34
3/4" x 80	150 0212	***	16	27	21	1"1/4 x 125	150 0629	20	42	34
3/4" x 90	150 0419	***	16	27	21	1"1/4 x 130	150 0633	20	42	34
3/4" x 100	150 0112	150 1024	16	27	21	1"1/4 x 150	150 0584	20	42	34
3/4" x 110	150 0687	***	16	27	21	1"1/4 x 170	150 0294	20	42	34
3/4" x 150	150 0152	150 1027	16	27	21	1"1/4 x 200	150 0516	20	42	34
3/4" x 200	150 0187	***	16	27	21	1"1/4 x 250	150 0614	20	42	34
3/4" x 250	150 0300	***	16	27	21	1"1/2 x 100	150 1046	20	48	39
1" x 40	150 0689		15	33	26	1"1/2 x 150	150 1047	20	48	39
1" x 50	150 0278	***	15	33	26	1"1/2 x 200	150 1048	20	48	39
1" x 60	150 0255	***	15	33	26	2" x 100	150 1049	20	60	50
1" x 70	150 0325	***	15	33	26	2" x 150	150 1050	20	60	50
1" x 80	150 0302	***	15	33	26	2" x 200	150 1051	20	60	50

Art. 1541

ITA-Barilotto scorrevole


DEU-Rohnippel mit durchgehendem Gewinde

ENU-Connector male threaded

ESP-Tubo roscado ajustable

FRA-Manchette d' attente pour compteur, taraudage long


ROM-Bara filetata reglabila


Filettatura UNI ISO 228

G" x L	CODICE	A	B	ØC	ØP
1/2" x 100	150 0286	13	45	21	15
1/2" x 150	150 0260	13	45	21	15
1/2" x 200	150 0343	13	45	21	15
3/4" x 100	150 0271	16	45	27	21
3/4" x 150	150 0257	16	45	27	21
3/4" x 200	150 0338	16	45	27	21
1" x 100	150 0254	15	45	33	26
1" x 150	150 0307	15	45	33	26
1" x 200	150 0350	15	45	33	26
1" x 250	150 0378	15	45	33	26

Art. 1550 - Art. 1550N - Art. 1550C


ITA-Raccordo diritto femmina/femmina
 DEU-Gewindeanschluss IG/IG Durchgangsform
 ENU-Straight nipple female/female
 ESP-Racor recto hembra/hembra
 FRA-Manchon droit femelle/femelle
 ROM-Mufa dreapta F/F


Filettatura UNI ISO 228

G" x F"	CODICE 1550	ØA	H	B	ØC	D	CH
1/4" x 1/4"	150 0692	18	18				
3/8" x 3/8"	150 0319	22	23				
1/2" x 3/8"	150 0288	26,5	24,5	10,7	21,7	10,5	24
1/2" x 1/2"	150 0034	26	31				
3/4" x 1/2"	150 0046	34,5	25	11,2	26,5	10,5	31
3/4" x 3/4"	150 0047	32	33				
1" x 3/8"	150 0694	40,2	30	13,2	22	13	37
1" x 1/2"	150 0080	40,2	30	13,2	27	13	37
1" x 3/4"	150 0059	40,2	30,5	13,1	32	13	37
1" x 1"	150 0032	40	39				
1"1/4 x 1"	150 0110	51	43,5	18,5	42	///	///
1"1/4 x 1"1/4	150 0122	50	45				
1"1/2 x 1"1/2	150 0131	57	50				
2" x 1"	150 1367	69	48	22,7	42	14,4	70
2" x 1"1/4	1501372	67	48,5	24,5	55	9,5	68
2" x 1" 1/2	1501373	72	47,5	24,5	55	9,5	68
2" x 2"	150 0135	72	58				
2"1/2 x 2"1/2	150 0386	89	65				
4" x 4"	150 0511	130	80				

Art. 1550CT

ITA-Raccordo diritto femmina/femmina COMPACT
 DEU-Gewindeanschluss IG/IG Durchgangsform COMPACT
 ENU-Straight nipple female/female COMPACT
 ESP-Racor recto hembra/hembra COMPACT
 FRA-Manchon droit femelle/femelle COMPACT
 ROM-Racord drept F/F COMPACT



Filettatura UNI ISO 228

G" x F"	CODICE	H	ØA
1/2" x 1/2"	150 0807	23	27
3/4" x 3/4"	150 0808	25	32
1" x 1"	150 0809	30	39,5

Art. 1551 - Art. 1551N - Art. 1551C

ITA-Raccordo diritto maschio/femmina


DEU-Gewindeanschluss AG/IG Durchgangsform

ENU-Straight male/female

ESP-Racor recto macho/hembra

FRA-Manchon droit mâle/femelle

ROM-Prelungire redusa M/F


Filettatura UNI ISO 228

G" x F"	COD.1551	COD.1551N	COD.1551C	L	A	B	C	Ch.es.
1/4" x 3/8"	150 0861	****	****	22	13	9	10	21
1/4" x 1/2"	150 0862	****	****	24,5	15,5	9	12,5	27
3/8" x 3/8"	150 0529	150 0606	****	23	13	10	10	21
3/8" x 1/2"	150 0106	150 0174	150 0459	24,5	14,5	10	12,5	24
3/8" x 1"	150 0581	150 0607	****	28,5	18,5	10	15,5	Ott.37,5
1/2" x 3/8"	150 0305	150 0415	150 0571	22,5	11	11,5	10	22
1/2" x 1/2"	150 0259	150 0477	****	26	14,5	11,5	12,5	24
1/2" x 3/4"	150 0043	150 0127	150 0484	26,5	15	11,5	13	31
1/2" x 1"	150 0158	150 0249	150 0582	30	18,5	11,5	15,5	37
24(19 Fil) x 1/2"	150 0628	****	150 0634	25	15	10	12,5	25
24(19 Fil) x 24(19 Fil)	150 0636	****	150 0635	23,5	13,5	10	10	27
3/4" x 1/2"	150 0140	150 0364	150 0505	26	13	13	10	27,5
3/4" x 3/4"	150 0185	150 0456	****	26	14,5	11,5	13	31
3/4" x 1"	150 0053	150 0202	150 0474	30,5	18,5	12	15,5	37
1" x 3/4"	150 0165	150 0366	150 0566	30	15	15	13	37
1" x 1"	150 0272	150 0493	****	30,5	18,5	12	15,5	37
1" x 1"1/4"	150 0863	****	****	40	25	15	21	Ott.48
1"1/4 x 1"1/2"	150 0864	****	****	46	28	18	23	60

Art. 1552 - Art. 1552N - Art. 1552C

ITA-Raccordo diritto maschio/maschio


DEU-Gewindeanschluss AG/AG Durchgangsform

ENU-Straight male/male

ESP-Racor recto macho/macho

FRA-Manchon droit mâle/mâle

ROM-Niplu M/M



Filettatura UNI ISO 228 - ISO 7 / EN 10226

G1" x G2"	COD.1552	COD.1552N	COD.1552C	L	A	B	C	ØP	Ch.es.
1/8" x 1/8"	****	150 0597	****	16,5	4,5	6	6	5,5	14
1/4" x 1/4"	150 0354	150 0536	****	22,5	5	8,5	9	7	14
R3/8" x R1/8"	****	150 0576	****	24,5	5	11,5	8	5,5	17
3/8" x 1/4"	150 0306	150 0550	150 0624	23	4	10	9	8	17
3/8" x 3/8"	150 0218	150 0432	150 0502	24	4	10	10	12	17
1/2" x 1/4"	150 0395	****	****	24,5	4	11,5	9	8	21
1/2" x 3/8"	150 0074	150 0196	150 0406	23,5	4	10,5	9	12	21
1/2" x 1/2"	150 0002	150 0036	150 0234	25	4	10,5	10,5	15	21
3/4" x 1/2"	150 0012	150 0124	150 0447	27	5	11,5	10,5	15	27
3/4" x 3/4"	150 0008	150 0084	150 0435	28	5	11,5	11,5	20,5	27
1" x 1/2"	150 0089	150 0205	150 0613	33	6,5	15	11,5	15	34
1" x 3/4"	150 0022	150 0157	150 0555	29,5	5	13	11,5	20,5	34
1" x 1"	150 0001	150 0070	150 0500	36,5	6,5	15	15	25,5	34
1"1/4 x 1"	150 0044	150 0318	****	40	9	16	15	25,5	42
1"1/4 x 1"1/4	150 0025	150 0207	****	41,5	9,5	16	16	34	46
1"1/2 x 1"	150 1052	150 1053	****	44	12	17	15	25,5	48
1"1/2 x 1"1/4	150 0097	150 0396	****	45	12	17	16	32	48
1"1/2 x 1"1/2	150 0088	150 0267	****	46	12	17	17	39	48
2" x 1"1/2	150 0164	150 0228	****	52	14	21	17	39	60
2" x 2"	150 0081	150 0429	****	56	14	21	21	50	60
2"1/2 x 1"1/2	150 0486	150 0616	****	61	14	27	20	39	Ott.76
R2"1/2 x R2"1/2	150 0279	150 0574	****	68	14	27	27	63	Ott.76
R3" x R3"	150 0375	150 0621	****	75	15	30	30	74	Ott.89
R4" x R4"	150 0487	150 0617	****	90	18	36	36	98	Ott.115

Art. 1552FD

IT-Raccordo diritto maschio/maschio con battuta piana


DE-Gewindeanschluss AG/AG Durchgangsform flachdichtend

EN-Straight male/male with plain ends

ES-Racor recto macho/macho con junta plana

FR-Manchon droit mâle/ mâle avec siège plat

RO-Niplu cu fata dreapta M/M


Filettatura UNI ISO 228

G1" x G2"	CODICE	L	A	B	C	ØP	Ch.es.
3/8" x 3/8"	471 0052	24	4	10	10	10	17
1/2" x 1/2"	471 0030	29	6	11,5	11,5	14	21
3/4" x 3/4"	471 0003	30,5	6,5	12	12	15,5	27
1" x 1"	471 0017	39	7	16	16	20	34
1"1/4 x 1"1/4	471 0085	37,5	9,5	14	14	25	42
1"1/2 x 1"1/2	471 0086	42	8	17	17	32	50
3/4" x 1/2"	471 0019	30	7	12	11	12	27
1" x 3/4"	471 0005	30	7	13	10	14,5	36
1" 1/4 x 1"	471 0035	37,5	7	14	16,5	20	42
1"1/2 x 1"1/4	471 0039	45	10	17	18	32	50
2" x 1"1/2	471 0056	46	9	20	17	39	60

Art. 1552XL

ITA-Raccordo diritto maschio/maschio


DEU-Gewindeanschluss AG/AG Durchgangsform

ENU-Straight male/male

ESP-Racor recto macho/macho

FRA-Manchon droit mâle/mâle


ROM-Niplu M/M


Filettatura UNI ISO 228

G1" x G2"	CODICE	L	A	B	C	ØP	Ch.es.
1/2" x 1/2"	150 0803	37	4	16,5	16,5	14	21
3/4" x 3/4"	150 0841	37	5	16	16	20,5	27
1" x 1"	150 0842	46,5	6,5	20	20	25,5	33

Art. 1552FDR

ITA-Raccordo diritto maschio/maschio con battuta piana ed o-ring
 DEU-Gewindeanschluss AG/AG Durchgangsform flachdichtend mit O-Ring
 ENU-Straight male/male with plain ends and o-ring
 ESP-Racor recto macho/macho con junta plana y o-ring
 FRA-Manchon droit mâle/ mâle avec siège plat et joint torique
 ROM-Niplu fata dreapta (plana) cu O-ring



Filettatura UNI ISO 228

G1" x G2"	CODICE	L	A	B	C	ØP	Ch.es.1
3/4" x 3/4"	471 0004	29	8	12	9	15	33
1" x 3/4"	471 0046	31	8	14	9	20	33

Art. 1553FD

ITA-Raccordo diritto tubo cilindrico/maschio con battuta piana


DEU-Gewindeanschluss Durchgangsform Zylinderrohr/AG flachdichtend

ENU-Straight cylindrical pipe/male with plain ends and o-ring

ESP-Racor recto tubo cilíndrico/macho con asiento plano

FRA-Manchon droit tube cylindrique/mâle avec siège plat

ROM-Niplu fata dreapta de legatura cu teava de cupru


Filettatura UNI ISO 228

ØT x G1"	CODICE	L	A	B	C	ØP	Ch.es.1
Ø 15 - 3/4"	471 0057	45	6	25	14	11	27
Ø 22 - 3/4"	471 0016	45	6	25	14	18	27
Ø 22 - 1"	471 0036	49	9	25	15	18	33

Art. 1555 - Art. 1555U - Art. 1555N

ITA-Raccordo diritto tre pezzi con O-RING


DEU-Gewindeanschluss Durchgangsform, 3-tlg.

ENU-Three piece straight fitting with O-RING

ESP-Racor recto de tres piezas

FRA-Raccord trois pièces

ROM-Racord drept trei piese cu o-ring



Filettatura UNI ISO 228

F" x G"	COD. 1555	COD. 1555U	COD. 1555N	L	A	B	C	Ch.es.1	Ch.es.2
1/2" x 1/2"	150 0014	150 0777	150 0073	46,5	26	12,5	10	30	27
3/4" x 3/4"	150 0010	150 0778	150 0076	51,5	29	14	10	37	31
1" x 1"	150 0007	150 0779	150 0095	60,5	35	16	15	Ott.46	38
1"1/4 x 1"1/4	150 0039	****	150 0227	69	39,5	15	14	Ott.52	Ott.48
1"1/2 x 1"1/2	150 0023	****	150 0251	73,5	44	18	16	Ott.66	Ott.54
2" x 2"	150 0020	****	150 0337	82,5	48	18	18	Ott.80	Ott.67

Art. 1555CP

ITA-Raccordo diritto tre pezzi M/F con GUARNIZIONE PIANA


DEU-Gewindeanschluss AG/IG Durchgangsform, 3-tlg., mit FLACHDICHTUNG

ENU-3 pieces straight fittings with PLAIN END

ESP-Racor recto de tres piezas macho/hembra con junta plana

FRA-Raccord trois pièces M/F à joint plat

ROM-Olandez cu garnitura plata M/F



Filettatura UNI ISO 228

F" x G"	CODICE	L	A	B	C	Ch.es.1	Ch.es.2
3/8" x 3/8"	150 0708	41,5	23	7,5	8	21	24
1/2" x 1/2"	150 0203	47	27	10	10	27	30
3/4" x 3/4"	150 0181	57	29,5	12	10	31	37
1" x 1"	150 0213	61	35,5	14	15	38	46
1"1/4 x 1"1/4	150 0320	70	40,5	15	14	Ott.48	Ott.52
1"1/2 x 1"1/2	150 0575	73,5	44	16	16	Ott.54	Ott.66
2" x 2"	150 0556	82,5	48	18	18	Ott.67	Ott.80

Art. 1555R - Art. 1555NR

ITA-Raccordo diritto tre pezzi con pretenuta


DEU-Gewindeanschluss Durchgangsform, 3-tlg., vernickelt

ENU-Straight nipple three piece and sealed male thread

ESP-Racor recto de tres piezas con preestanchéidad

FRA-Raccord trois pièces avec pré-étanchéité

ROM-Olandez cu o-ring si preetansare pe filetul exterior M/F



Filettatura UNI ISO 228

F" x G"	COD. 1555R	COD. 1555NR	L	A	B	C	Ch.es.1	Ch.es.2
3/4" x 3/4"	150 0523	150 0589	51,5	29	11	10	37	31
1" x 1"	150 0283	150 0552	60,5	35	12,5	15	Ott.46	38
1"1/4 x 1"1/4	150 0524	150 0595	69	39,5	14	14	Ott.52	Ott.48

Art. 1555SET

ITA-Kit attacco pompa in ottone con connessione maschio con sede piana


DEU-Pumpenanschluss-Bausatz mit Verbindung AG

ENU-Brass pump connection kit with M connection with flat end

ESP-Kit conexión bomba en latón con conexión macho

FRA-Kit raccord pompe laiton mâle

ROM-Set olandez din alama pentru pompa cu racorduri M/F si garnitura plata


Filettatura UNI ISO 228

M'' x F''	CODICE	L	A	B	C	ØP	Ch.es. 1
1/2" x 3/4"	150 0825	32,5	12,5	20	5,5	15	30
3/4" x 1"	150 0826	36,5	14	22,5	6,5	20	37
1" x 1 1/4"	150 0827	41,5	16	25,5	6,5	25,5	Ott. 46
1 1/4" x 1 1/2"	150 0578	46,5	17	29,5	7,5	34	Ott. 52

Art. 1557 - Art. 1557N

ITA-Raccordo diritto tre pezzi con tenuta conica


DEU-Gewindeanschluss Durchgangsform, 3-tlg., vernickelt, konisch trocken dichtend

ENU-3-pieces straight fittings with conical sealing

ESP-Racor recto de tres piezas con estanqueidad cónica

FRA-Raccord trois pièces avec joint conique

ROM-Olandez alama F/F cu inchidere pe CON



Filettatura UNI ISO 228

G" x G"	COD. 1557	COD. 1557N	L	A	B	Ch.es.1	Ch.es.2	Ch.es.3
1/2" x 1/2"	150 0186	150 0374	38	12	12	25	25	37
3/4" x 3/4"	150 0199	150 0368	42	14	14	30,5	30,5	Ott.46
1" x 1"	150 0177	150 0206	51	17	16	38	38	Ott.52
1"1/4 x 1"1/4	1501054	1501057	52	17	17	Ott.48	Ott.48	Ott.66
1"1/2 x 1"1/2	1501055	1501058	64	17	17	Ott.54	Ott.54	Ott.72
2" x 2"	1501056	1501059	67,5	18	18	Ott.67	Ott.67	Ott.90

Art. 1557CP

ITA-Raccordo dritto tre pezzi F/F con GUARNIZIONE PIANA


DEU-Gewindeanschluss IG/IG Durchgangsform, 3-tlg., mit FLACHDICHTUNG

ENU-3 pieces straight fittings with PLAIN END

ESP-Racor recto de tres piezas hembra/hembra con junta plana

FRA-Raccord trois pièces F/F à joint plat

ROM-Olandez cu garnitura plata F/F



Filettatura UNI ISO 228

G" x G"	CODICE	L	A	B	Ch.es.1	Ch.es.2	Ch.es.3
1/2" x 1/2"	150 0358	39	12	12	25	25	37
3/4" x 3/4"	150 0383	43	14	14	30,5	30,5	Ott.46
1" x 1"	150 0403	52	17	16	38	38	Ott.52
1"1/4 x 1"1/4	150 1060	53	17	17	Ott.48	Ott.48	Ott.66
1"1/2 x 1"1/2	150 1061	65	17	17	Ott.54	Ott.54	Ott.72
2" x 2"	150 1062	68,5	18	18	Ott.67	Ott.67	Ott.90

Art. 1557SET

ITA-Kit attacco pompa in ottone femmina


DEU-Pumpenanschluss-Bausatz IG

ENU-Brass pump female connection kit

ESP-Kit de conexión bomba en latón hembra

FRA-Kit raccord pompe laiton femelle

ROM-Set olandez pentru pompa din alama cu racorduri F/F si garnitura plata



Filettatura UNI ISO 228

M" x F"	CODICE	L	A	B	C	Ch.es. 1	Ch.es. 2
1/2" x 1"	150 0906	26	14	12	6,5	37	25
3/4" x 1" 1/4	150 0839	28,5	16	12,5	6,5	Ott. 46	30,5
1" x 1" 1/2	150 0355	33,5	17	16,5	7,5	Ott. 52	38
1" 1/4 x 2"	150 0440	39	23	16	13	Ott. 66	Ott. 48

Art. 1560 - Art. 1560N - Art. 1560C

ITA-Raccordo curvo femmina/femmina


DEU-Winkel IG/IG

ENU-Elbow female/female

ESP-Racor codo hembra/hembra

FRA-Coude femelle/femelle

ROM-Cot F/F



Filettatura UNI ISO 228

G" x F"	COD.1560	COD.1560N	COD.1560C	L	L2	A	B	ØC	ØD
3/8" x 3/8"	150 0298	150 0525	150 0537	21,5	21,5	10	10	24	24
1/2" x 3/8"	150 0508	150 0604	****	25,5	23	15	11,5	28	21,5
1/2" x 1/2"	150 0018	150 0133	****	24,5	24,5	12,5	12,5	29,5	29,5
1/2" x 1/2"	****	****	150 0349	21	21	10	10	27	27
3/4" x 1/2"	150 0149	150 0347	****	29,5	28	16,5	15	34	27
3/4" x 3/4"	150 0015	150 0162	****	30	30	15	15	36	36
3/4" x 3/4"	****	****	150 0513	25	25	11	11	33	33
1" x 3/4"	150 0111	150 0392	****	37	35	19,5	16,5	41,5	34
1" x 1"	150 0017	150 0144	****	36	36	15,5	15,5	43	43
1" x 1"	****	****	150 0541	29,5	29,5	12,2	12,2	41	41
1"1/4 x 1"	150 0340	150 0464	****	61	42	18,5	19	53	43
1"1/4 x 1"1/4	150 0067	150 0353	150 0586	42,5	42,5	18,5	18,5	53	53
1"1/2 x 1"1/2	150 0117	150 0412	****	47,5	47,5	20,5	20,5	59	59
2" x 2"	150 0121	150 0527	****	55	55	22,5	22,5	71	71
3" x 3"	150 0485	****	****	75	75	27,5	27,5	99	99
4" x 4"	150 0515	****	****	91	91	30,5	30,5	124	124

Art. 1560CT

ITA-Raccordo curvo femmina/femmina COMPACT


DEU-Winkel IG/IG COMPACT

ENU-Elbow female/female COMPACT

ESP-Racor codo hembra/hembra COMPACT

FRA-Coude femelle/femelle COMPACT

ROM-Cot F/F COMPACT


Filettatura UNI ISO 228

G" x F"	CODICE	L	L2	A	B	ØC	ØD
1/2" x 1/2"	150 0810	21	21	10	10	27	27
3/4" x 3/4"	150 0811	25	25	11	11	33	33
1" x 1"	150 0812	29,5	29,5	12	12	41	41

Art. 1561 - Art. 1561N - Art. 1561C

ITA-Raccordo curvo maschio/femmina


DEU-Winkel AG/IG

ENU-Elbow male/female

ESP-Racor codo macho/hembra

FRA-Coude mâle/femelle

ROM-Cot M/F



Filettatura UNI ISO 228 - ISO 7 / EN 10226

R" x G"	COD.1561	COD.1561N	COD.1561C	L	L2	A	B	ØC	ØD
3/8" x 3/8"	150 0173	150 0470	150 0420	32	28,5	10	12	24	11
1/2" x 1/2"	150 0004	150 0057	150 0201	35	27	15	17,5	28	15
1/2" x 3/4"	150 0907	150 0908	****	38	33,5	15	18,5	34	15
3/4" x 3/4"	150 0006	150 0146	150 0472	39	31	16	18,5	34	20,5
1" x 1"	150 0011	150 0137	150 0551	48	38	17	22	41,5	26,5
1"1/4 x 1"1/4	150 0054	150 0431	****	44,5	42,5	17	18,5	53	32
1"1/2 x 1"1/2	150 0119	150 0448	****	48,5	47,5	17	20,5	59	39
2" x 2"	150 0086	150 0512	****	59	55	21	22,5	71	50

Art. 1561CT

ITA-Raccordo curvo maschio/femmina COMPACT


DEU-Winkel AG/IG COMPACT

ENU-Elbow male/female COMPACT

ESP-Racor codo macho/hembra COMPACT

FRA-Coude mâle/femelle COMPACT

ROM-Cot M/F COMPACT



Filettatura UNI ISO 228

G" x G"	CODICE	L	L2	A	B	ØC	ØD
1/2" x 1/2"	150 0813	29	20,5	11,5	10	27	15
3/4" x 3/4"	150 0814	34,5	24,5	12,5	11	34	20
1" x 1"	150 0815	39,5	28,5	13,5	12	41	25

Art. 1561DIN

ITA-Raccordo curvo maschio/femmina


DEU-Winkel AG/IG

ENU-Elbow male/female

ESP-Racor codo macho/hembra

FRA-Coude mâle/femelle

ROM-Cot M/F seria masiva



Filettatura UNI ISO 228 - ISO 7 / EN 10226

G" x R"	CODICE	L	L2	A	B	ØC	ØD
1/2" x 1/2"	150 0762	36	29	13,5	12	30	15
3/4" x 3/4"	150 0763	41,5	33	15	16	36	20
1" x 1"	150 0764	54	41	15	19	43	25

Art. 1562 - Art. 1562N

ITA-Raccordo curvo maschio/maschio


DEU-Winkel AG/AG

ENU-Elbow male/male

ESP-Racor codo macho/macho

FRA-Coude mâle/mâle

ROM-Cot M/M




Filettatura UNI ISO 228 - ISO 7 / EN 10226

G" x G"	COD.1562	COD.1562N	L	L2	A	B	Ch.
R3/8" x R3/8"	150 0384	150 0625	23	23	10	10	14
1/2" x 1/2"	150 0107	150 0264	26	26	10	10	18
R3/4" x R3/4"	150 0214	150 0372	31,5	31,5	13	13	21

Art. 1563 - Art. 1563N

ITA-Raccordo curvo maschio/femmina con flangia
 DEU-Winkel AG/IG einschließlich kurzer Wandscheibe
 ENU-Wallplate elbow male/female
 ESP-Racor codo macho/hembra con brida
 FRA-Coude mâle/femelle avec bride
 ROM-Cot M/F cu flansa



Filettatura UNI ISO 228

G" x F"	COD.1563	COD.1563N	L	L2	A	B	ØC	ØD	Ch.	ØE
1/2" x 1/2"	150 0048	150 0141	34,5	32	10,5	13	27,5	27,5	18,5	14
3/4" x 3/4"	150 0064	150 0243	41,5	39	12	15	34	37	24	19
1" x 1"	150 0033	150 0291	48	46	15	15,5	43	43	30	25,5

Art. 1565 - Art. 1565N

ITA-Raccordo curvo tre pezzi


DEU-Winkel, 3-tlg.

ENU-Elbow three piece

ESP-Racor codo tres piezas

FRA-Coude trois pièces

ROM-Cot olandez M/F cu garnitura o-ring



Filettatura UNI ISO 228

G" x F"	COD.1565	COD.1565N	L	L2	A	B	C	Ch.es.1	Ch.es.2
3/8" x 3/8"	150 0410	150 0510	18	47	8,5	10,5	29,5	21	25
1/2" x 1/2"	150 0105	150 0168	22	51	10	12,5	31	25	30
3/4" x 3/4"	150 0063	150 0244	26	59,5	12	14	37	31	37
1" x 1"	150 0068	150 0250	35	69,5	13	16	44	38	Ott. 46
1"1/4 x 1"1/4	150 0194	150 0430	45,5	80	21	15	50,5	Ott. 48	Ott. 52
1"1/2 x 1"1/2	150 0229	150 0450	53	89	23	18	60	Ott. 55	Ott. 66
2" x 2"	150 0281	150 0543	63	109	25	18	74,5	Ott. 67	Ott. 80

Art. 1565CP

ITA-Raccordo curvo tre pezzi con GUARNIZIONE PIANA


DEU-Winkel, 3-tlg., mit FLACHDICHTUNG

ENU-3 pieces elbow with PLAIN END

ESP-Racor codo de tres piezas con junta plana

FRA-Coude trois pièces à joint plat

ROM-Cot olandez M/F cu garnitura plata


Filettatura UNI ISO 228

G" x F"	CODICE	L	L2	A	B	C	Ch.es.1	Ch.es.2
1/2" x 1/2"	150 0401	22	51	10	10	31	25	30
3/4" x 3/4"	150 0359	26	59,5	12	12	37	31	37
1" x 1"	150 0381	35	69,5	13	16	44	38	Ott. 46
1"1/4 x 1"1/4	150 0465	45,5	80	21	15	50,5	Ott. 48	Ott. 52
1"1/2 x 1"1/2	150 0637	53	89	23	18	60	Ott. 55	Ott. 66
2" x 2"	150 0638	63	109	25	18	74,5	Ott. 67	Ott. 80

Art. 1565R - Art. 1565NR

ITA-Raccordo curvo tre pezzi con pretenuta


DEU-Winkel, 3-tlg., mit Vordichtung

ENU-Elbow three piece with sealed male thread

ESP-Racor codo de tres piezas con preestanchéidad

FRA-Coude trois pièces avec pré-étanchéité

ROM-Cot olandez M/F cu garnitura o-ring si preetansare pe filetul exterior



Filettatura UNI ISO 228

G" x F"	COD.1565R	COD.1565NR	L	L2	A	B	C	Ch.es.1	Ch.es.2
3/4" x 3/4"	150 0618	150 0580	26	59,5	12	11	37	31	37
1" x 1"	150 0591	150 0598	35	69,5	13	12,5	44	38	Ott. 46
1 1/4" x 1 1/4"	150 0620	150 0583	45,5	80	21	13,5	50,5	Ott. 48	Ott. 52

Art. 1567

ITA-Raccordo curvo femmina/femmina con flangia ISO228


DEU-Winkel IG/IG einschließlich Wandscheibe ISO228

ENU-Wallplate elbow female/female ISO228

ESP-Racor codo hembra/hembra con brida ISO228

FRA-Coude femelle/femelle avec patte ISO228

ROM-Cot F/F cu flansa 2 gauri



Filettatura UNI ISO 228

G" x G"	CODICE	L	L2	A	B	C	D	ØE
1/2" x 1/2"	150 0287	42	38,5	12	24,5	35	45	28,5
3/4" x 3/4"	150 0360	51,5	47,5	15	30	42	55	35

Art. 1574

ITA-Raccordo a Y femmina/maschio/femmina


DEU-Y-Anschluss IG/AG/IG

ENU-Y fittings female/male/female

ESP-Racor en Y hembra/macho/hembra

FRA-Raccord en Y femelle/mâle/femelle

ROM-Racord în Y F/M/F



Filettatura: UNI ISO 228 - ISO 7 / EN 10226

$G'' \times R'' \times G''$	CODICE	A	B	C°	$\varnothing D$	$\varnothing P$	Ch.es.
$1/2'' \times 1/2'' \times 1/2''$	150 0258	14,5	15	45°	26	15	25

Art. 1570 - Art. 1570N - Art. 1570C

ITA-Raccordo a T femmina


DEU-T-Stück IG

ENU-T female

ESP-Racor en T hembra

FRA-Té femelle

ROM-Teu F


Filettatura UNI ISO 228

G1" x G2" x G3"	COD.1570	COD.1570N	COD.1570C	L	L2	ØA	ØB	ØC
3/8" x 3/8" x 3/8"	150 0275	150 0409	150 0545	43	21,5	24	24	24
1/2" x 3/8" x 1/2"	150 0533	****	****	47	23,5	28	28	28
1/2" x 1/2" x 1/2"	150 0003	150 0061	150 0253	47	23,5	28	28	28
3/4" x 3/8" x 3/4"	150 0544	****	****	56	26,5	36	29,5	36
3/4" x 1/2" x 3/4"	150 0049	150 0151	150 0596	56	27	36	29,5	36
3/4" x 3/4" x 1/2"	150 0915	****	****	57	28,5	34	34	34
3/4" x 3/4" x 3/4"	150 0009	150 0096	150 0501	57	28,5	34	34	34
1" x 1/2" x 1"	150 0037	150 0180	****	56	29,5	43	29,5	43
1" x 3/4" x 1"	150 0087	150 0224	****	61	30	43,5	36,5	43,5
1" x 1" x 1"	150 0005	150 0083	150 0570	72	36	41	41	41
1"1/4 x 1/2" x 1"1/4	150 0441	****	****	85	38,5	52,5	28	52,5
1"1/4 x 3/4" x 1"1/4	150 0446	****	****	85	38,5	52,5	31,5	52,5
1"1/4 x 1" x 1"1/4	150 0719	****	****	85	38,5	52,5	40	52,5
1"1/4 x 1"1/4 x 1"1/4	150 0029	150 0331	****	85	42,5	52,5	52,5	52,5
1"1/2 x 1"1/2 x 1"1/2	150 0078	150 0171	****	95	47,5	59	59	59
2" x 2" x 2"	150 0120	150 0362	****	110	55	71	71	71

Art. 1570CT

ITA-Raccordo a T femmina COMPACT


DEU-T-Stück IG COMPACT

ENU- T female COMPACT

ESP-Racor en T hembra COMPACT

FRA-Té femelle COMPACT

ROM-Teu F COMPACT



Filettatura UNI ISO 228

G1" x G2" x G3"	CODICE	L	L2	ØA	ØB	ØC
1/2" x 1/2" x 1/2"	150 0816	42	21	27	27	27
3/4" x 3/4" x 1/2"	150 0817	50	25	33	33	33
1" x 1" x 1"	150 0818	59	29,5	41	41	41

Art. 1571 - Art. 1571N

ITA-Raccordo a T femmina-maschio-femmina


DEU-T-Stück IG-AG-IG

ENU-T female-male-female

ESP-Racor en T hembra-macho-hembra

FRA-Té femelle-mâle-femelle

ROM-Teu F-M-F



Filettatura UNI ISO 228

F" x M" x F"	COD.1571	COD.1571N	L	L2	A	ØB	ØC	Ch.
1/2" x 1/2" x 1/2"	150 0843	150 0846	47	24,5	10,5	28	28	23
3/4" x 3/4" x 1/2"	150 0844	150 0847	57	29	11,5	34	34	29
1" x 1" x 1"	150 0845	150 0848	72	36,5	15	41	41	35

Art. 1572 - Art. 1572N

ITA-Raccordo a T maschio


DEU-T-Stück AG

ENU-Tee male

ESP-Racor en T macho

FRA-Té mâle

ROM-Teu M



Filettatura UNI ISO 228 - ISO 7 / EN 10226

G1" x G2" x G3"	COD.1572	COD.1572N	L	L2	Ch.
R3/8" x R3/8" x R3/8"	150 0561	150 0619	46	23	15
1/2" x 1/2" x 1/2"	471 0020	150 0233	52	26	17
R3/4" x R3/4" x R3/4"	150 0225	150 0334	63	31,5	20
1" x 1" x 1"	150 0216	150 0391	78	39	31

Art. 1572FD

ITA-Raccordo a T maschio con battuta piana


DEU-T-Stück AG flachdichtend

ENU-Tee fitting male with plain ends

ESP-Racor en T macho con junta plana

FRA-Té mâle, joint plat

ROM-Teu M fata dreapta


Filettatura UNI ISO 228

G1" x G2" x G3"	CODICE	L	L2	ØA	ØB	ØC	Ch.
1/2" x 1/2" x 1/2"	471 0020	52	26	12	12	12	17
3/4" x 1/2" x 1/2"	471 0040	55,5	27	15	12	12	20
3/4" x 1/2" x 3/4"	471 0041	57	27	15	12	15	20
3/4" x 3/4" x 1/2"	471 0060	55,5	28,5	15	15	12	20
3/4" x 3/4" x 3/4"	471 0011	57	28,5	15	15	15	20
1" x 3/4" x 1"	471 0049	78	33	23	15	23	31
1" x 1" x 1"	471 0084	78	39	23	23	23	31

Art. 1580 - Art. 1580N

ITA-Raccordo a croce femmina ISO228


DEU-Kreuzstück IG ISO228

ENU-Cross fitting female ISO228

ESP-Racor en cruz hembra ISO228

FRA-Croix femelle ISO228

ROM-Cruce F ISO228


Filettatura UNI ISO 228

G" x G" x G" x G"	CODICE 1580	CODICE 1580N	L	ØA	B
1/2" x 1/2" x 1/2" x 1/2"	150 0103	150 0290	50	30	13
3/4" x 3/4" x 3/4" x 3/4"	150 0065	150 0304	60	36,5	13
1" x 1" x 1" x 1"	150 0091	150 0345	72	43,5	15,5
1"1/4 x 1"1/4 x 1"1/4 x 1"1/4	150 0182	150 0475	85	52,5	21
1"1/2 x 1"1/2 x 1"1/2 x 1"1/2	150 0299	150 0577	95	59,5	23
2" x 2" x 2" x 2"	150 0414	150 0557	110	70	25

Art. 1581 - Art. 1581N - Art. 1581C

ITA-Raccordo di riduzione maschio/femmina


DEU-Reduzierstück AG/IG

ENU-Straight reducing male/female

ESP-Racor de reducción macho/hembra

FRA-Réduction mâle/femelle

ROM-Reductie M/F



Filettatura UNI ISO 228 - ISO 7 / EN 10226

M'' x F''	COD.1581	COD.1581N	COD.1581C	L	A	B	Ch.es.
R 1/4" x 1/8"	150 0455	150 0562	150 0579	15,5	4,5	11	14
R 3/8" x 1/8"	150 0380	150 0569	150 0588	16	4,5	11,5	17
R 3/8" x 1/4"	150 0308	150 0530	150 0546	16	4,5	11,5	17
R 1/2" x 1/8"	150 0506	150 0565	150 0585	18	4,5	13,5	21
R 1/2" x 1/4"	150 0134	150 0265	150 0553	18	4,5	13,5	21
1/2" x 3/8"	150 0093	150 0296	150 0262	14,5	4	10,5	21
3/4" x 3/8"	150 0209	150 0433	****	18,5	5,5	13	27
3/4" x 1/2"	150 0013	150 0148	150 0400	20	7	13	27
1" x 1/4"	150 0367	150 0535	****	22,5	7,5	15	33
1" x 3/8"	150 0330	150 0503	****	22,5	7,5	15	33
1" x 1/2"	150 0030	150 0175	150 0558	19	6	13	36
1" x 3/4"	150 0016	150 0169	150 0539	19	6	13	36
R 1 1/4" x 1/2"	150 0462	****	****	25	8	17	43
R 1 1/4" x 3/4"	150 0098	150 0352	****	25	8	17	43
R 1 1/4" x 1"	150 0028	150 0238	150 0564	25	8	17	43
R 1 1/2" x 1/2"	150 1010	150 1011	****	26	9	17	48
R 1 1/2" x 3/4"	150 0190	150 0351	****	26	9	17	48
R 1 1/2" x 1"	150 0075	150 0297	****	26	9	17	48
R 1 1/2" x 1 1/4"	150 0082	150 0316	150 0611	26	9	17	48
R 2" x 1/2"	150 1377	****	****	32	11	21	60
R 2" x 3/4"	150 1378	****	****	32	11	21	60
R 2" x 1"	150 0731	****	****	32	11	21	60
R 2" x 1 1/4"	150 0138	150 0363	****	32	11	21	60
R 2" x 1 1/2"	150 0130	150 0339	****	32	11	21	60
R 2 1/2" x 1"	150 0495	****	****	40	13	27	Ott.76
R 2 1/2" x 1 1/4"	150 0499	****	****	40	13	27	Ott.76
R 2 1/2" x 1 1/2"	150 0421	****	****	40	13	27	Ott.76
R 2 1/2" x 2"	150 0219	150 0627	****	40	13	27	Ott.76
R 3" x 1 1/2"	150 0526	****	****	44	14	30	Ott.89
R 3" x 2"	150 0324	****	****	44	14	30	Ott.89
R 3" x 2 1/2"	150 0398	****	****	44	14	30	Ott.89
R 4" x 2"	150 0451	****	****	51	15	36	Ott.115
R 4" x 2 1/2"	150 0514	****	****	51	15	36	Ott.115
R 4" x 3"	150 0518	****	****	51	15	36	Ott.115

Art. 1581FD

IT-Raccordo di riduzione maschio/femmina con battuta piana


DE-Reduzierstück AG/IG flachdichtend

EN-Straight reducing male/female with plain end

ES-Racor de reducción macho/hembra con asiento plano

FR-Réduction mâle/femelle avec siège plat

RO-Reductie M/F fata dreapta


Filettatura UNI ISO 228


M" x F"	CODICE	L	A	B	ØC	D	Ch.es.
1/2" x 3/8"	471 0050	16,5	6,5	10	12	10	21
3/4" x 1/2"	471 0022	18	7	11	16	12,5	27
1" x 1/2"	471 0079	20	7	13	19*	-	36
1" x 3/4"	471 0012	20	7	13	20	15	36
1" 1/4 x 1"	471 0038	21	7	14	25	17	42
1" 1/2 x 1"	471 0111	25	9	16	35**	-	48
1" 1/2 x 1" 1/4	471 0043	25,5	8,5	17	34	21	48
2" x 1" 1/2	471 0072	26	9	17	43	20	60

* uguale al diametro interno del filetto femmina

** il filetto femmina da 1" muore nel Ø35

Art. 1583

ITA-Ghiera
DEU-Rüberwurfmutter
ENU-Lock nut
ESP-Anillo
FRA-Bague
ROM-Piulita




Filettatura UNI ISO 228

G"	CODICE	L	ØA	B	Ch.es.
1/2"	150 0125	9	Ø38	1,5	26
3/4"	150 0191	8	Ø45,5	1,5	32
1"	150 0261	8,5	Ø50	1,5	38,5
1" 1/4	150 0310	8,5	Ø60	1,5	45
1" 1/2	150 0303	10,5	Ø70	1,5	Ott. 54
2"	150 0332	11,5	Ø80	1,5	Ott. 70

Art. 1584C

ITA-Raccordo curvo maschio/maschio con battuta piana con flangia (cromato lucido)
 DEU-Winkel AG/AG flachdichtend einschließlich kurzer Wandscheibe (verchromt poliert)
 ENU-Wallplate elbow male/male with plain ends (polished chrome plated)
 ESP-Racor codo macho/macho con junta plana con brida (cromada brillante)
 FRA-Coude mâle/ mâle applique (chrome poli)
 ROM-Cot M/M fata dreapta cu flansa (cromata lucioasa)




Filettatura UNI ISO 228

G1" x G2"	CODICE	L	L2	A	ØB	C	ØP	ØF
3/4" x 1/2"	150 0800	40	31	13	44	50,5	13	6

Art. 1585C

ITA-Raccordo curvo femmina/maschio con battuta piana con flangia (cromato lucido)
 DEU-Winkel IG/AG flachdichtend einschließlich kurzer Wandscheibe (verchromt poliert)
 ENU-Wallplate elbow female/male with plain ends (polished chrome plated)
 ESP-Racor codo hembra/macho con junta plana con brida (cromada brillante)
 FRA-Coude femelle/ mâle applique (chrome poli)
 ROM-Cot F/M fata dreapta cu flansa (cromata lucioasa)



Filettatura UNI ISO 228

G1" x G2"	CODICE	L	L2	A	ØB	C	ØP	ØF
1/2" x 1/2"	150 0804	27	31	10,5	37	43	12	6

Art. 1878 - Art. 1878N

ITA-Tappo maschio per collettori


DEU-Stopfen AG für Verteiler

ENU-Male cap for manifolds

ESP-Tapón macho para colectores

FRA-Bouchon mâle pour collecteurs

ROM-Dop M pentru colectoare



Filettatura UNI ISO 228 - ISO 7 / EN 10226

G"	CODICE 1878	CODICE 1878N	L	A	B	Ch.es.
3/8"	150 0273	150 0532	15,5	5,5	10	17
1/2"	150 0040	150 0172	15	5	10	21
3/4"	150 0019	150 0230	16,5	5	11,5	27
1"	150 0077	150 0266	22	7	15	36
1" 1/4	150 0222	150 0488	24	8	16	44
R 1"1/2	150 0865	****	26	9	17	48
R 2"	150 0866	****	32	11	21	60

Art. 1880 - Art. 1880N - Art. 1880C

ITA-Tappo femmina per collettori


DEU-Stopfen IG für Verteiler

ENU-Female cap for manifolds

ESP-Tapón hembra para colectores

FRA-Bouchon femelle pour collecteurs

ROM-Dop F pentru colectoare



Filettatura UNI ISO 228 - ISO 7 / EN 10226

G"	CODICE 1880	CODICE 1880N	CODICE 1880C	L	A	Ch.es.
3/8"	150 0342	150 0517	150 0745	12	10	20
1/2"	150 0058	150 0200	150 0747	12,5	10	24
3/4"	150 0041	150 0197	150 0749	16	14	30
1"	150 0108	150 0247	150 0868	18,5	15	38,5
1" 1/4	150 0285	150 0489	****	24	21	48
R 1"1/2	150 0327	****	****	22,5	19	60
R 2"	150 0751	150 0755	****	17	14	66