




HTEM Tubo stratificato con 1 bicchiere


Codice	DN	D max	L mm.	S1-min mm.	t-min mm.	Peso Kg./pz.	Conf. Pezzi	Conf. Bancale	€/Pz.
TEM032150	32	42,4	150	1,8	49,0	0,044	20	960	1,05
TEM032250	32	42,4	250	1,8	49,0	0,064	20	960	1,30
TEM032500	32	42,4	500	1,8	49,0	0,111	20	320	2,00
TEM321000	32	42,4	1000	1,8	49,0	0,208	10	320	3,15
TEM321500	32	42,4	1500	1,8	49,0	0,307	10	320	4,65
TEM322000	32	42,4	2000	1,8	49,0	0,406	10	320	5,95
TEM323000	32	42,4	3000	1,8	49,0	0,601	10	320	8,80
TEM040150	40	53,6	150	1,8	51,0	0,063	20	960	1,00
TEM040250	40	53,6	250	1,8	51,0	0,087	20	960	1,30
TEM040500	40	53,6	500	1,8	51,0	0,153	20	320	1,80
TEM041000	40	53,6	1000	1,8	51,0	0,284	10	260	2,70
TEM041500	40	53,6	1500	1,8	51,0	0,410	10	260	4,15
TEM042000	40	53,6	2000	1,8	51,0	0,530	10	260	5,35
TEM043000	40	53,6	3000	1,8	51,0	0,791	10	260	7,80
TEM050150	50	63,7	150	1,8	51,7	0,073	20	960	1,15
TEM050250	50	63,7	250	1,8	51,7	0,105	20	800	1,45
TEM050500	50	63,7	500	1,8	51,7	0,182	20	320	2,20
TEM051000	50	63,7	1000	1,8	51,7	0,338	10	200	3,50
TEM051500	50	63,7	1500	1,8	51,7	0,494	10	200	5,70
TEM052000	50	63,7	2000	1,8	51,7	0,640	10	200	6,75
TEM053000	50	63,7	3000	1,8	51,7	0,953	10	200	9,85
TEM070150	75	89,0	150	1,9	56,7	0,119	20	480	1,80
TEM070250	75	89,0	250	1,9	56,7	0,167	20	320	2,35
TEM070500	75	89,0	500	1,9	56,7	0,292	20	160	3,55
TEM071000	75	89,0	1000	1,9	56,7	0,537	6	120	5,25
TEM072000	75	89,0	2000	1,9	56,7	1,029	6	120	10,20
TEM073000	75	89,0	3000	1,9	56,7	1,522	6	120	14,50
TEM090150	90	104,5	150	2,2	58,8	0,162	20	320	3,15
TEM090250	90	104,5	250	2,2	58,8	0,229	20	240	3,55
TEM090500	90	104,5	500	2,2	58,8	0,401	10	120	5,55
TEM091000	90	104,5	1000	2,2	58,8	0,738	4	96	8,95
TEM091500	90	104,5	1500	2,2	58,8	1,071	4	96	12,55
TEM092000	90	104,5	2000	2,2	58,8	1,408	4	96	16,95
TEM093000	90	104,5	3000	2,2	58,8	2,081	4	96	25,70
TEM110150	110	127,1	150	2,7	64,6	0,261	20	240	3,20
TEM110250	110	127,1	250	2,7	64,6	0,362	20	160	4,05
TEM110500	110	127,1	500	2,7	64,6	0,632	10	80	6,40
TEM111000	110	127,1	1000	2,7	64,6	1,071	4	60	9,85
TEM111500	110	127,1	1500	2,7	64,6	1,695	4	60	14,95
TEM112000	110	127,1	2000	2,7	64,6	2,234	4	60	19,00
TEM113000	110	127,1	3000	2,7	64,6	3,298	4	60	28,80

HTEM Tubo stratificato con 1 bicchiere


Codice	DN	D max	L mm.	S1-min mm.	t-min mm.	Peso Kg./pz.	Conf. Pezzi	Conf. Bancale	€/Pz.
TEM120250	125	144,0	250	3,1	69,0	0,489	10	120	6,95
TEM120500	125	144,0	500	3,1	69,0	0,838	5	60	9,70
TEM121000	125	144,0	1000	3,1	69,0	1,523	4	48	15,80
TEM122000	125	144,0	2000	3,1	69,0	2,897	4	48	28,50
TEM123000	125	144,0	3000	3,1	69,0	4,296	4	48	40,80
TEM160250	160	183,0	250	3,9	79,2	0,802	8	64	14,00
TEM160500	160	183,0	500	3,9	79,2	1,372	9	36	17,70
TEM161000	160	183,0	1000	3,9	79,2	2,481	6	36	27,80
TEM162000	160	183,0	2000	3,9	79,2	4,689	6	36	49,70
TEM163000	160	183,0	3000	3,9	79,2	6,943	6	36	71,60

HTDM Tubo stratificato con 2 bicchieri

Codice	DN	D max	L mm.	S1-min mm.	t-min mm.	Peso Kg./pz.	Conf. Pezzi	Conf. Bancale	€/Pz.
TDM032500	32	42,4	500	1,8	49,0	0,125	20	320	2,90
TDM321000	32	42,4	1000	1,8	49,0	0,224	10	320	3,80
TDM321500	32	42,4	1500	1,8	49,0	0,322	10	320	5,95
TDM322000	32	42,4	2000	1,8	49,0	0,421	10	320	7,00
TDM323000	32	42,4	3000	1,8	49,0	0,615	10	320	9,65
TDM040500	40	53,6	500	1,8	51,0	0,169	70	420	2,35
TDM041000	40	53,6	1000	1,8	51,0	0,303	10	250	3,45
TDM041500	40	53,6	1500	1,8	51,0	0,430	10	250	5,20
TDM042000	40	53,6	2000	1,8	51,0	0,561	10	250	6,00
TDM043000	40	53,6	3000	1,8	51,0	0,812	10	250	9,00
TDM050500	50	63,7	500	1,8	51,7	0,215	40	240	2,95
TDM051000	50	63,7	1000	1,8	51,7	0,370	10	200	4,15
TDM051500	50	63,7	1500	1,8	51,7	0,524	10	200	6,70
TDM052000	50	63,7	2000	1,8	51,7	0,678	10	200	7,95
TDM053000	50	63,7	3000	1,8	51,7	0,987	10	200	11,60
TDM070500	75	89,0	500	1,9	56,7	0,336	20	120	5,20
TDM071000	75	89,0	1000	1,9	56,7	0,594	4	140	6,85
TDM071500	75	89,0	1500	1,9	56,7	0,835	4	140	10,25
TDM072000	75	89,0	2000	1,9	56,7	1,086	4	140	12,60
TDM073000	75	89,0	3000	1,9	56,7	1,569	4	140	18,25

HTDM Tubo stratificato con 2 bicchieri

Codice	DN	D max	L mm.	S1-min mm.	t-min mm.	Peso Kg./pz.	Conf. Pezzi	Conf. Bancale	€/Pz.
TDM090500	90	104,5	500	2,2	58,8	0,459	15	90	7,55
TDM091000	90	104,5	1000	2,2	58,8	0,794	4	96	10,95
TDM091500	90	104,5	1500	2,2	58,8	1,128	4	96	15,50
TDM092000	90	104,5	2000	2,2	58,8	1,423	4	96	19,40
TDM093000	90	104,5	3000	2,2	58,8	2,098	4	96	28,70
TDM110500	110	127,1	500	2,7	64,6	0,738	10	60	8,65
TDM111000	110	127,1	1000	2,7	64,6	1,270	4	60	12,25
TDM111500	110	127,1	1500	2,7	64,6	1,806	4	60	17,90
TDM112000	110	127,1	2000	2,7	64,6	2,325	4	60	22,70
TDM113000	110	127,1	3000	2,7	64,6	3,357	4	60	32,80
TDM120500	125	144,0	500	3,1	69,0	0,954	6	54	13,95
TDM121000	125	144,0	1000	3,1	69,0	1,617	4	48	19,70
TDM121500	125	144,0	1500	3,1	69,0	2,287	4	48	27,10
TDM122000	125	144,0	2000	3,1	69,0	2,929	4	48	36,70
TDM123000	125	144,0	3000	3,1	69,0	4,328	4	48	50,00

HTB Curva

Codice	DN	α	Z1 mm.	Z2 mm.	L mm.	Peso Kg./pz.	Conf. Pezzi	Conf. Bancale	€/Pz.
BBO032015	32	15°	2,0	3,0	62,0	0,018	50	2400	0,93
BBO032030	32	30°	3,0	7,0	63,0	0,019	50	2400	0,93
BBO032045	32	45°	4,0	16,0	51,0	0,020	50	3600	0,93
BBO032067	32	67,5°	7,0	11,0	64,5	0,021	50	2400	0,98
BBO032087	32	87,5°	14,0	25,0	62,0	0,022	50	3600	0,93
BBO040015	40	15°	2,0	9,0	51,0	0,030	20	960	0,89
BBO040030	40	30°	3,0	12,0	53,0	0,031	20	960	0,89
BBO040045	40	45°	7,0	15,0	57,0	0,032	20	960	0,86
BBO040067	40	67,5°	16,0	20,0	78,5	0,034	20	960	0,96
BBO040087	40	87,5°	16,0	30,0	66,0	0,036	20	960	0,86
BBO050015	50	15°	5,0	9,0	60,0	0,045	20	960	1,12
BBO050030	50	30°	14,0	10,0	69,0	0,045	20	960	1,12
BBO050045	50	45°	14,0	16,0	64,0	0,041	20	960	1,06
BBO050067	50	67,5°	20,0	28,0	72,0	0,052	20	960	1,35
BBO050087	50	87,5°	23,0	35,0	52,0	0,047	20	960	1,12